

Deeply Move_Glastuer_1-fluegelig Deeply Move_glass-door_single-door


Art.-nr. / part no. // Länge / length mm [inch]:

112.00136 // 1900 [74 3/16"]

112.00137 // 2100 [82 11/16"]

112.00138 // 2350 [92 1/2"]

112.00139 // 2600 [102 3/8"]





TB=Türbreite / DW = door width

Maßstab / scale 1:5

measure
[inch]
mm

Deeply Move_Glastuer_1-fluegelig Deeply Move_glass-door_single-door




X = Abstand Tür - Decke / distance door - ceiling
 Y = Abstand Tür - Boden / distance door - floor
 DH = Durchgangshöhe / PH = passage height
 TL = Türlänge / DL = door length



Maßstab / scale 1:5

measure
 [inch]
 mm

Deeply Move_Glastuer_1-fluegelig
Deeply Move_glass-door_single-door



Erforderliche Bohrungen am Türblatt zur Befestigung der Bodenrollen und der 2 optionalen oberen Eckausschnitte.
Drill holes required on the door leaf for fixing the bottom rollers and the 2 optional upper corner cutout.



Z = Türüberstand / door overlap
DB = Durchgangsbreite / PW = passage width
TB = Türbreite / DW = door width

Maßstab / scale 1:5

measure
[inch]
mm